

PARENT AND CHILD TO COMPLETE ABOUT CHILD

Review of systems

Describe abnormal findings and comments:

NEXT VISIT: 14 YEARS OF AGE

WEIGHT KG./OZ. PERCENTILE

Screening:

Hearing

Vision

Development

Social/Emotional

General appearance

Oropharynx/Teeth

Mental Health

Behavior

Physical:

Skin

Head

Eyes

Ears

Nose

Neck

Nodes

DEPARTMENT OF SOCIAL GHEATH SERVICES			IILD	HOC	D:	XAM - LATE 12 YEARS Guidelines)		DATE
CHILD'S NAME		LAT	E CH	HILDH(BROU		: 12 YEARS N BY	DATE O	F BIRTH
ALLERGIES	DENTS/PR	ROBLEMS/CONCERNS S	INCE	LAST	/ISIT	CURRENT MEDICATIONS TODAY I HAVE	A QUESTIC	ON ABOUT:
□ □ Му	child is do	breakfast every day. Ding well in school. One or more close frier				☐ My child seems rested whe☐ My child handles stress, an☐ My child gets some physica	ger, frustra	tion appropriately. very day.
view of systems Review of family history					Diet Sleep Review Immunization Record			
ng:	MHZ 4000 _ 2000 _ 1000 _	4000 2000		- - -	□ TB □ Dental Referral □ Hct/Hgb ——— Health Education: (Check all discussed/handouts given) □ Nutrition □ After School Supervision □ Regular Physical Activity □ Seat Belt □ Helmets			
oment or Emotional Health	tional				As	☐ Discipline ☐ Dental Care ☐ Puberty/Menses Onset		
il: I appearance rynx/Teeth	N A	Chest Lungs Cardiovascular/Pulse Abdomen Genitalia Spine Extremities Neurologic Gait		N A				
e abnormal findi	ngs and c				_			
						UNIZATIONS GIVEN ERRALS		

DSHS 13-685D(X) (REV. 08/2004) - TRANSLATIONS

HEALTH PROVIDER SIGNATURE

☐ SEE DICTATION

HEALTH PROVIDER NAME

HEALTH PROVIDER ADDRESS

Your Child's Health at 12 Years

Milestones

Ways your child is developing between 12 and 14 years of age.

Most children get their second molars (back teeth) between 12 and 13. Talk with your dentist about sealants. She should floss daily.

Between age twelve and fourteen, most girls will have small breasts, pubic hair and periods.

Between age twelve and fourteen, most boys will have pubic hair. The skin on their penis and scrotum may change color.

Many boys will have a growth spurt sometime between 12 and 15. Their voice may change and they may start a beard.

Children do not experience these body changes at the same age. This can worry a child. Growth happens at different times for everyone. If they have not begun to have growth changes by age 14 talk with your doctor.

For Help or More Information

For Immunization Information: Healthy Mothers, Healthy Babies Information and Referral Line 1-800-322-2588.

Sexuality Information For Teens:

www.teenwire.com.

Churches, schools or community colleges may offer workshops on conflict resolution or anger management. These can be useful skills for early teenagers.

Health Tips

Your child will need booster immunizations at this age. Talk with your doctor to be sure he is fully immunized.

At this age a child's height and weight can change quickly. They need exercise in addition to school P.E. classes. Eating good food and healthy snacks is important.

Parenting Tips

A child's body makes many changes as part of becoming a teenager. This can be exciting and can also be scary. Your child may be more emotional and sometimes rude or angry.

Talk with your child about the changes in her body as the changes happen. Tell her these are good signs of growing up.

Talk with your child about sexual feelings. He needs to know they are normal. Talking about sex when your child is younger may make it easier to talk about it with him when he is older.

Your child is growing mentally. You can help her thinking skills by asking her how to solve problems.

When a child often feels sad, nervous, or worried things are not going right for her, talk with her about her feelings. Help her find a counselor if necessary.

This is a good time for your child to learn first aid and CPR.

Safety Tips

Cigarettes, drugs and alcohol are often offered to teenagers. Practice "saying no" with your child. Help him be prepared.

Teach your child gun safety. They should never play around with guns. Help them practice walking away if their friends have guns. If you keep guns in your home, make sure they are unloaded and locked up.

Guidance to Physicians and Nurse Practitioners for Late Childhood (12 years)

The following highlight EPSDT screens where practitioners often have questions. They are not comprehensive guidelines.

Fluoride Screen

Fluoride supplements should be considered for all children drinking fluoride deficient (<0.6 ppm F) water. Before supplements are prescribed, it is essential to know the fluoride concentration of the patient's drinking water. Once the fluoride level of the water supply has been evaluated, either through contacting the public health officials or water analysis, as well as evaluating other sources of fluoride, the daily dosage schedule can be recommended. Pediatric Dentistry: Reference Manual 1999--00.(21)5.

Total Cholesterol/Lipoprotein Screens

- Screen children with a parent or grandparent with premature (before age 55) cardiovascular disease.
- Recommend lipoprotein screen for children with a total cholesterol equal to or greater than 170 on two tests with a parent whose cholesterol is greater than or equal to 249 mg/di.

Developmental Milestones



Notes: Immunization schedules are from the Advisory Committee on Immunization Practice of the U.S. Centers for Disease Control and Prevention.